



Certificate of Conformity of Factory Production Control

This certificate is issued to:

Manufacturer: Tianjin Yuantaiderun Pipe Manufacturing Group Co., Ltd. Industrial area, Daqiuzhuang Town, Tianjin City, P.R. China Tianjin Yuantaiderun International Trade Co., Ltd. 1st, Science and Technology Road, Industrial Area, Daqiuzhuang Town, Jinghai Section, Tianjin City, P.R. China

In compliance with *Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011* (the Construction Products Regulation or CPR), this certificate applies to the construction product:

Manufacture of Hollow Sections

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard(s)

EN 10219-1:2006 Cold Formed Welded Structural Hollow Sections of Non-alloy and Fine Grain Steels – General Technical Delivery Conditions

under system 2+ are applied and that the factory production controls fulfil all the prescribed requirements set out above.

The attached Schedule, of the same date, details the manufacturing location(s), harmonised product standard and product parameters and shall form a part of this certificate.

This Certificate will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly.

Certificate No: Original Approval: Current Certificate: Expiry Date: LRQA Notified Body Number: 2814/CPR/0038/CPR/SHA/BJG6023851/A 25 May 2015 22 December 2022 22 August 2024 2814

Kevin Wu on behalf of LRQA Verification B.V.

LRQA Verification B.V. (Reg. no. 24247947) a private limited company registered in the Netherlands with registered office at George Hintzenweg 77, 3068 AX Rotterdam. A subsidiary of LRQA Group Limited.

1

Q/

nex i

LRQ/\

LRQ/\

RQ/\

LRQA Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'LRQA'. LRQA assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant LRQA entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.





Certificate of Conformity of Factory Production Control No: 2814/CPR/0038/CPR/SHA/BJG6023851/A Schedule

Manufacturer: Tianjin Yuantaiderun Pipe Manufacturing Group Co., Ltd. Industrial area, Daqiuzhuang Town, Tianjin City, P.R. China Tianjin Yuantaiderun International Trade Co., Ltd. 1st, Science and Technology Road, Industrial Area, Daqiuzhuang Town, Jinghai Section, Tianjin City, P.R. China

Location and Products	Standard, Grade and Size	
Daqiuzhuang Town, Jinghai County,	EN 10219-1: 2006, EN 10219-2: 2019	LRQ/\
Tianjin, P.R. China	S235JRH, S275J0H, S275J2H, S355J0H, S355J2H and S355K2H	
50 welded pipe line (No. 2 line)	For square pipe, side dimension range from 20 to 50mm,	
ERW production line	thickness range from 2.0 to 5.0mm;	LRQ/\
	For rectangular pipe, BXH range from 20X25 to 60X40mm	
	thickness range from 2.0 to 5.0mm.	
114 welded pipe line (No. 7 line)	For square pipe, side dimension range from 40 to 90mm,	
ERW production line	thickness range from 2.0 to 8.0mm;	LRQ/\
	For rectangular pipe, BXH range from 60X40 to 120X60mm	
	thickness range from 2.0 to 8.0mm.	LRQA
200 welded pipe line	For square pipe, side dimension range from 90 to 200mm,	
ERW production line	thickness range from 2.0 to 16.0mm;	
	For rectangular pipe, BXH range from 120X60 to 300X100mm	
	thickness range from 2.0 to 16.0mm.	LRQA
300 welded pipe line (new)	For square pipe, side dimension range from 200 to 300mm,	
ERW production line	thickness range from 3.0 to 16.0mm;	
	For rectangular pipe, BXH range from 300X100 to 350X250mm	LRQA LRQA
	thickness range from 3.0 to 16.0mm.	
500 welded pipe line	For square pipe, side dimension range from 300 to 500mm,	
ERW production line	thickness range from 5.0 to 18.0mm;	
	For rectangular pipe, BXH range from 300X250 to 500X300mm	
	thickness range from 5.0 to 18.0mm.	
Cold-drawing pipe line Including	For square pipe, side dimension range from 200 to 500mm,	
Pipes formed by ERW,	thickness range from 5.0 to 40.0mm;	
Pipes formed by LSAW	For rectangular pipe, BXH range from 300X100 to 500X300mm	LRQA
	thickness range from 8.0 to 40.0mm.	LIVE
JCOE production line	For circular pipe, outside diameter range from 406.4mm to	
	1440mm; thickness range from 12.0mm to 40mm.	
		LRQ/\

Schedule Issue: Date of Schedule Issue: LRQA Notified Body Number 01 22 December 2022 2814

Kevin Wu on behalf of LRQA Verification B.V.

LRQA Verification B.V. (Reg. no. 24247947) a private limited company registered in the Netherlands with registered office at George Hintzenweg 77, 3068 AX Rotterdam. A subsidiary of LRQA Group Limited.

LRQA Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'LRQA'. LRQA assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant LRQA entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.





Certificate of Conformity of Factory Production Control No: 2814/CPR/0038/CPR/SHA/BJG6023851/A Schedule

Manufacturer: Tianjin Yuantaiderun Pipe Manufacturing Group Co., Ltd. Industrial area, Daqiuzhuang Town, Tianjin City, P.R. China Tianjin Yuantaiderun International Trade Co., Ltd. 1st, Science and Technology Road, Industrial Area, Daqiuzhuang Town, Jinghai Section, Tianjin City, P.R. China

Location and Products	Standard, Grade and Size
Hangzhou City, Zhejiang Province	EN 10219-1: 2006, EN 10219-2: 2019 S235JRH, S275J0H, S275J2H, S355J0H, S355J2H and S355K2H
89 Production Line	CHS Thickness range 2- 6.3mm, Diameter dimensions range Ø33.5-108mm
219 Production Line	CHS Thickness range 2- 10 mm, Diameter range Ø102-219mm
508 Production Line	–CHS Thickness range 3- 16 mm, Diameter dimensions range Ø219-508mm

Schedule Issue: Date of Schedule Issue: LRQA Notified Body Number 01 22 December 2022 2814

Person

Kevin Wu on behalf of LRQA Verification B.V.

LRQA Verification Limited (Reg. no. 4929226) is a limited company registered in England and Wales. Registered office: 1 Trinity Park, Bickenhill Lane, Birmingham B37 7ES. A subsidiary of LRQA Group Limited.

LRQA Group Limited, its affiliates and subsidiaries and their respective officers, employees or agents are, individually and collectively, referred to in this clause as 'LRQA'. LRQA assumes no responsibility and shall not be liable to any person for any loss, damage or expense caused by reliance on the information or advice in this document or howsoever provided, unless that person has signed a contract with the relevant LRQA entity for the provision of this information or advice and in that case any responsibility or liability is exclusively on the terms and conditions set out in that contract.

LRQ/

.RQ/\